## (19) 世界知的所有権機関 国際事務局



# 

(43) 国際公開日 2004 年3 月4 日 (04.03.2004)

**PCT** 

## (10) 国際公開番号 WO 2004/019493 A1

(51) 国際特許分類7:

H03K 17/687

(21) 国際出願番号:

PCT/JP2003/007896

(22) 国際出願日:

2003 年6 月20 日 (20.06.2003)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2002-180124 2002 特願2002-208598 2002

2002 年6 月20 日 (20.06.2002) JP 2002 年7 月17 日 (17.07.2002) JP


(71) 出願人 (米国を除く全ての指定国について): 松下電器産業株式会社 (MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.) [JP/JP]; 〒571-8501 大阪府 門真市大字門真1006番地 Osaka (JP).

- (72) 発明者; および
- (75) 発明者/出願人 (米国についてのみ): 水野 紘一 (MIZUNO,Koichi) [JP/JP]; 〒630-8144 奈良県 奈良市 東九条町 5 5 2 - 8 Nara (JP).
- (74) 代理人: 角田 嘉宏、外(SUMIDA,Yoshihiro et al.); 〒650-0031 兵庫県 神戸市 中央区 東町123番地の1 貿易ビル3階 Hyogo (JP).
- (81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG,

[続葉有]

(54) Title: SWITCH DEVICE

#### (54) 発明の名称: スイッチ装置



connected by switching.

(57) Abstract: A switch device (10) comprises three connection terminals (P1, P2, P3) and two FETs (111, 121) of the same channel type. One of a pair of main terminals of each of the two FETs is connected to a first connection terminal through a DC blocking capacitive element (Cb), and the others are connected to second and third connection terminals through DC blocking capacitive elements (Cb), respectively. A first bias voltage (Vb1) is applied to the gate of a first FET, and a second bias voltage (Vb2) is applied to the paired main terminals of the second FET. A two-level control voltage (Vc) is applied to the paired main terminals of the first FET and the gate of the second FET. Thus, the first and second or third connection terminals are electrically

(57) 要約:

本発明のスイッチ装置(10)は、3つの接続用端子(P1,P2,P3)と2つの同チャネル型FET(111,121)を有し、2つのFETの一対の主端子の一方が第1の接続用端子に、他方が第2及び第3の接続用端子に、それぞれ直流阻止用容量性素子(Cb)を介して接続されており、第1のFETのゲートに第1のバイアス電圧(Vb1)が、第2のFETの一対の主端子に第2のバイアス電圧(Vb2)が与えられ、2値の制御電圧(Vc)が、第1のFETの一対の主端子と第2のFETのゲートとに与えられることにより、第1の接続用端子と第2または第3の接続用端子とが電気的に切替接続される。

#### 

SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) 指定国 (広域): ARIPO 特許 (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ特許 (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR),

OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

## 添付公開書類:

#### - 国際調査報告書

2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP03/07896

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl <sup>7</sup> H03K17/687			
According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system followed by classification symbols) Int.Cl <sup>7</sup> H03K17/687			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Jitsuyo Shinan Koho 1926-1996 Toroku Jitsuyo Shinan Koho 1994-2003 Kokai Jitsuyo Shinan Koho 1971-2003 Jitsuyo Shinan Toroku Koho 1996-2003			
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)			
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
A	JP 05-299995 A (Nippon Teleg Corp.), 12 November, 1993 (12.11.93), Fig. 9 (Family: none)	raph And Telephone	1-24
A	JP 04-346513 A (Mitsubishi E 02 December, 1992 (02.12.92), Fig. 1 (Family: none)		1-24
A	JP 06-132701 A (Mitsubishi E 13 May, 1994 (13.05.94), Fig. 1 (Family: none)	lectric Corp.),	1-24
Further documents are listed in the continuation of Box C. See patent family annex.			
* Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other means  "O" document published prior to the international filing date but later than the priority date claimed  "P" document published prior to the international filing date but later than the priority date claimed  Date of the actual completion of the international search  14 October, 2003 (14.10.03)  "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  Date of the actual completion of the international search  14 October, 2003 (14.10.03)  Date of mailing of the international search report  28 October, 2003 (28.10.03)			ne application but cited to erlying the invention claimed invention cannot be red to involve an inventive claimed invention cannot be to when the document is documents, such a skilled in the art family
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer	
Facsimile No		Telephone No.	

THIS PAGE BLANK (USPTO)